

# INDEX MAPS.

## T.32N. R.14E. 2<sup>nd</sup> Mer.

	162		162		163		164		164		165	
165	6	192	5	186	4	180	3	175	2	169	1	159
	193		193		186		181		175		169	
166	7	194	8	187	9	181	10	176	11	170	12	159
	195		194		187		182		176		170	
167	18	196	17	188	16	182	15	177	14	171	13	160
	200		196		189		183		177		172	
167	19	200	20	189	21	183	22	178	23	172	24	160
	197		201		190		184		178		173	
168	30	197	29	190	28	184	27	179	26	173	25	161
	198		198		191		185		179		173	
168	31	199	32	191	33	185	34	180	35	174	36	161

Meander 201

## T.33N. R.14E. 2<sup>nd</sup> Mer.

	213-217	214-217	214-216	214-216	215-216	216						
220	6	247	5	241	4	235	3	230	2	225	1	213
	246		246		240		234		230		225	
219	7	246	8	240	9	234	10	229	11	224	12	212
	245		245		239		234		229		223	
219	18	244	17	239	16	233	15	229	14	223	13	211
	244		244		238		233		228		222	
218	19	243	20	238	21	232	22	227	23	222	24	211
	243		242		237		232		227		222	
218	30	242	29	237	28	231	27	226	26	221	25	210
	242		241		236		231		226		221	
217	31	241	32	235	33	231	34	226	35	221	36	210
	207		207		208		208		209		209	

Meaning 247

Meander 247

207

Township N. 33. North of Range 14 East of the 2<sup>nd</sup> Mer. Line

South Boundary van 5<sup>th</sup> 1866

East On South Boundary of Sec 31  
 23.15 A Black Walnut 18 in. diam.  
 40.00 Set a gr. Sec. Post from which  
 a Buckeye 14 in. diam. bears N 37<sup>1</sup>/<sub>2</sub> W 15 links dist. &  
 a Do 6 " " " S 10 W 13 " "  
 58.50 Enter Swamp mostly S.E.  
 70.00 Left the same  
 80.00 Set a Post Corner to Sec. 31 + 32 from which  
 a Beech 16 in. diam. bears S 24 E 19 links dist. &  
 a Do 22 " " " N 1 E 21<sup>1</sup>/<sub>2</sub> " "  
 Land 2<sup>nd</sup> rate, & part rolling, Timber. Ash,  
 Elm. Beech. Lynn. Oak. Hickory. Poplar,  
 Walnut. Buckeye, &c. &c. Undergrowth Ash  
 Elm, Lynn. Sugar. Dogwood &c.

---

East On South Boundary of Sec 32  
 9.50 A Fresh blazed Road, N.E.  
 17.53 Set Post on the N West Bank of Little St. Josephs  
 River. from which  
 a Beech 28 in. diam. bears S 68<sup>1</sup>/<sub>2</sub> W 18 links dist. &  
 a Lynn 4 " " " N 49 E 22 " "  
 Offset North 1.50.  
 23.50 Reduced offset & set a post on the North Bank  
 of River. Corner to fractional Sec. 32 + 3  
 from which a  
 W. Elm 22 in. diam. bears N 1<sup>1</sup>/<sub>2</sub> W 14 links dist. &  
 a Sycamore 22 in. " " S 83 E 44 " "  
 24.50 A Stream 15 links wide, course from North  
 32.93 A W Oak 14 in. diam.  
 40.00 Set gr. Sec. Post, from which  
 a Red Elm 5 in. diam. bears N 13 E 18 links dist.  
 & a Hickory 22 " " " S 38 W 14 " "  
 41.24 Set Post on the West Bank of Little St. Josephs  
 River from which  
 a Sugar 3 in. diam. bears N 29 W 8 links dist. &



## T 33 N. R. 14 E 2nd Mer. Indiana.

- 44.11 a Sugar 3 in. diam. bears S 72 E 6 links dist.  
 Set post on the SE Bank of Little St. Joseph  
 River from which  
 a Hackberry 4 in. diam. bears N 40 E 10 links dist.  
 a Do 4 " " " S 27 E 18 " "
- 63.04 A Beech 20 in. diam.
- 80.00 Set a Post Corner to Sec. 32 + 33 from which  
 a Red Elm 6 in. diam. bears N 83 1/2 W 19 1/2 links dist.  
 a Grey Ash 5 " " " S 43 E 5 " "  
 Land mostly level 1st + 2nd rate timber, Ash,  
 Elm, Sugar, Beech, Syc. Walnut Hackberry  
 Buckeye, Oak, &c. Undergrowth, Spice, Ash,  
 Elm, Water Beech, Ironwood, Buckeye, &c.

East On South Boundary of Sec 33

- 17.70 A Branch 3 links wide. Course N.
- 19.75 A Syc. 20 in. diam.
- 28.10 A Branch 6 links wide. Course North
- 40.00 Set a q. Sec. Post from which  
 a Water Beech 6 in. diam. bears N 45 W 13 links dist.  
 an Ironwood 5 " " " S 65 E 27 " "
- 59.70 A Beech 14 in. diam.
- 61.75 A Branch 4 links wide. Course N. W.
- 80.00 Set a Post Corner to Sec. 33 + 34 from which  
 a Sugar 6 in. diam. bears N 11 1/2 E 28 links dist.  
 a Syc. 4 " " " S 77 W 12 " "  
 Land level 2nd rate. Timber, Beech, Oak, Ash,  
 Hickory, Elm, Maple, &c. Undergrowth, Elm,  
 Ironwood, Spice, Syc. Hickory, Ash,  
 Dogwood, &c.

East On South Boundary of Sec 34

- 15.75 A Branch 5 links wide. Course North.
- 21.75 A ~~Syc.~~ 20 in. diam.
- 28.00 Wagon Road
- 40.00 Set a q. Sec. Post from which

a Black Ash 10 in. diam. bears S 3 E. 27 lbs dist. &  
 a Hickory 14 " " N. 77. W. 7 " "  
 53.70 Cross old Range line 16.44 S. of old Tenn. Co.  
 60.91 A Buckeye 4 in. diam.  
 80.00 Set a Post Corner to Sec. 34 + 35 from which  
 an Ironwood 4 in. diam. bears N. 4 E. 10 lbs dist. &  
 a Sugar 10 in. " " S. 21 W. 28 " "  
 Land level 2nd rate. Timber. Beech, Oak  
 Hickory. Elm. Sugar. Linn. Buckeye. Ash.  
 Undergrowth. Sugar. Elm. Water Beech.  
 Linn. Hickory. &c. &c.

East On South Boundary of Sec 35  
 21.53 A W. Elm 18 in. diam.  
 33.75 A Branch 4 links wide. Course S. E.  
 36.00 Same " " " " N. E.  
 39.75 Same " " " " S. E.  
 40.00 Set a q. Sec Post from which  
 a Dogwood 4 in. diam. bears N. 27 E. 24 lbs dist. &  
 a Beech 18 " " " S. 42 W. 16 " "  
 55.50 A Branch 8 links wide. Course South  
 63.46 A Beech 14 in. diam.  
 80.00 Set Post Corner to Sec. 35 + 36 from which  
 a Beech 22 in. diam. bears N. 29 W. 36 links dist. &  
 a Sugar 18 " " " S. 10 W. 10 " "  
 Land level 2nd rate. Timber. Beech. Ash.  
 Sugar. Oak. Hickory. Elm. Linn. &c. &c.  
 Undergrowth Ash. Sugar. Water Beech. Spice  
 Hickory. Linn. &c.

East On South Boundary of Sec 36  
 19.50 A Beech 22 in. diam.  
 40.00 Set a q. Sec Post from which  
 a Beech 18 in. diam. bears N. 1 1/2 E. 27 lbs dist. &  
 a Do 14 " " " S. 32 W. 30 " "  
 A Branch 3 links wide. Course, N. E.

58.02 A Beech 18 in. diam.  
 70.00 A Branch 8 links wide. Course SE,  
 79.00 A Op 3 " " " South.  
 80.00 Set a Post Corner to Townships 32 & 33. N  
 Range 14 & 15 East from which  
 an Ironwood .5 in. diam. bears N. 32 E. 4 1/2 lbs. dist.  
 a Sugar 3 " " " S. 21 W. 12 " "  
 a Lymn 4 " " " S. 72 E. 24 " "  
 Land best 2<sup>nd</sup> rate. Timber. Beech. Ash.  
 Oak. Elm. Lymn. Sugar. Walnut. &c.  
 Undergrowth Spice. Ash. W. Beech. Lymn.  
 Hickory. &c. &c.

## East Boundary.

North On East Boundary of Sec. 36 var. 5<sup>th</sup> vic.  
 1. 25 A Branch 4 links wide. Course S. W.  
 25.04 A W. Oak 24 in. diam.  
 26.00 Cut East End of a Branch 10 links wide. S.  
 28.10 The Same. S. S. W.  
 33.00 A Branch 4 links wide. Course SE  
 40.00 Set a p. Sec Post. from which  
 an Ironwood 6 in. diam. bears N. 12 W. 6 1/2 lbs. dist.  
 a Beech 14 " " " S. 67 W. 25 " "  
 48.50 A Branch 3 links wide. Course SE.  
 61.00 A Beech 18 in. diam.  
 80.00 Set a Post Corner to Sec. 25 & 36 from which  
 a Beech 26 in. diam. bears N. 39 W. 44 lbs. dist.  
 a Sugar 4 " " " S. 58 W. 14 " "  
 Land mostly level 2<sup>nd</sup> rate good for farming  
 Timber. Beech. Ash. Sugar. Lymn. Hickory.  
 Elm. Oak. Walnut. &c. Undergrowth, Spice  
 Ash. Ironwood. Elm. &c.

North On East Boundary of Sec 25  
 17.50 A Pond Offset 3.50 links  
 20.50 Offset paid.

211

T 33 N. R 14 E 3rd Mer. Indiana,

- 22.73 A W Elm 16 in. diam.  
 37.40 A Branch 8 links wide, course N. N. W.  
 40.00 Set a grade post from which  
 a Beech 8 in. diam. bears S. 3 1/2 N. 11 links dist. &  
 a Sugar 4 " " " N. 69 1/2 W. 18 " "  
 55.90 Old Indian trace. N. N. W.  
 60.30 A Beech 20 in. diam.  
 80.00 Set a Post Cor. to Sec. 24 + 25 from which  
 a Beech 22 in. diam. bears S. 28 W. 25 links dist. &  
 a Cor 24 " " " N. 47 W. 35 " "  
 Land here wet 2nd + 3rd water, Timber. Elm,  
 Ash. Spruce, Beech, Oak, Hickory, Maple, &  
 Undergrowth Ash. Spice, Elm. Water Beech.  
 Spruce, Sugar. &c. &c.

---

North On East Boundary of Sec 24.

- 19.46 A Spruce 6 in. diam.  
 37.50 A Swamp mostly wet.  
 Offset East 5 chains  
 40.00 Still an Offset. no post.  
 45.00 Reduced Offset & fell into line  
 59.78 A Grey Ash 8 in. diam.  
 60.00 Swamp Offset West 5 chains  
 75.00 Offset road.  
 80.00 Set a post corner to Sec. 23 + 24 from which  
 a Red Oak 18 in. diam. bears N. 10 W. 10 links dist.  
 an Ironwood 4 " " " N. 33 W. 15 links dist.  
 Land Wet 3rd water, Timber. Elm, Ash, Beech,  
 Maple, Oak, &c. Undergrowth, Ironwood,  
 Elm, Ash, Willow, Black Hawth + Hawthorn

---

North On East Boundary of Sec 13

- 25.80 A W Oak 26 in. diam.  
 37.50 A Stream 15 links wide. course N. W.  
 40.00 Set a grade post. from which  
 a Beech 18 in. diam. bears S. 60 W. 11 links dist. &



## T 33 N. R 14 E. 2nd Mer. Indiana,

- on Ironwood 4 in. diam. bears N. 34 W. 28 the dist.  
 50.00 A Branch 3 links wide. Course West.  
 54.00 Blazed Wagon Road N.E.  
 56.23 A Branch 3 links wide. " N. S. W.  
 61.67 A Sugar 12 in. diam.  
 62.25 A Branch 4 links wide Course W. S. W.  
 80.00 Set a post corner to Sec. 12 & 13 from which  
 a Beech 24 in. diam. bears S 53 W 13 the dist. &  
 a Dogwood 4 " " " N 34 W 23 " "  
 Land part level wet 3<sup>rd</sup> rate. The balance  
 rolling 2<sup>nd</sup> rate. Timber. Beech. Elm.  
 Sugar. Oak. Syc. Hickory, &c. &c.  
 Undergrowth. Sugar. Syc. Ironwood,  
 Dogwood. Ash. Water Beech.

- North On East Boundary of Sec 12  
 12.50 A Blazed Trace. N. W.  
 20.44 A Beech 16 in. diam.  
 27.25 A Branch 6 links wide. Course N. N. W.  
 40.00 Set a q. Sec. post from which  
 a Grey Ash 12 in. diam. bears N 12 1/2 W. 28 the dist. &  
 a Dr " 18 " " " S. 7 1/4 W. 24 " "  
 44.40 Set Post on the S.E. Bank of Little St. Joseph's  
 River Corner to fractional Sec. 7 & 12  
 from which a  
 Grey Ash 16 in. diam. bears N. 37 E. 16 links dist. &  
 a Sugar 16 " " " S. 69 W. 12 " "  
 48.12 Set post on the N.W. Bank of River Corner  
 to fractional Sec. 7 & 12 from which  
 a Hickory 4 in. diam. bears N. 27 1/2 W. 17 the dist. &  
 a Red Oak 16 " " " N. 83 E. 11 " "  
 60.00 A Beech 18 in. diam.  
 80.00 Set a post corner to Sec. 1 & 12 from which  
 a Forked W. Walnut 36 in. diam. bears N. 87 W. 15 the dist. &  
 & a Syc. 12 " " " S. 91 W. 3 1/2 " "  
 Land mostly level rich 2<sup>nd</sup> rate. Timber. Ash.



213

T 33 N. R 14 E 2<sup>nd</sup> Mer. Indiana.

Sugar. Beech. Walnut. Poplar. Elm. Oak.  
Blackberry. Buckeye. &c.

North On East Boundary of Sec. 1  
3. 60 Fresh blazed Road N.E.  
17. 85 A W. Oak 38 in. diam.  
20. 50 A Creek 25 links wide. Course S.E.  
22. 00 Cut East Bend of the same.  
40. 00 Set a gr. Dec. post, from which  
a Spruce 6 in. diam. bears N. 43 W. 33 links dist. &  
an Ironwood 4 in. " " S. 58 W. 5 " "  
42. 50 A Swamp. Offset West. 4. 50  
50. 00 Offset paid  
62. 70 A W. Oak 24 in. diam.  
80. 00 Set a post for Township Corner. between  
Towns 33 & 34 North. Ranges 14 & 15 East.  
from which  
a Burr Oak 26 in. diam. bears N. 39 E. 24 links dist. &  
an Elm 22 " " " N. 35 W. 6 " "  
Land not described

North Boundary

East On Random On South Boundary of Sec. 31  
T 34 N. R 14 E

6. 50 Cut Bend of Willow Swamp.  
7. 80 Left the same  
12. 00 Enter Swamp  
16. 00 Offset South 4 chains  
30. 00 Offset paid & left the swamp.  
40. 00 Set Temporary gr. Dec. post.  
60. 00 Cut South Bend of large Swamp. bears S.E.  
80. 00 Set Temporary Post. Corner to Sec. 31 & 32  
on the side of Swamp  
Land swampy level 3<sup>rd</sup> rate. Timber. Ash,  
Maple Elm. Willow. Beech. &c. Undergrowth  
Ironwood. Ash. Willow. Rose. Prickly Ash. &c.

## T 33 N. R 14 E Ind. Sec. Indiana,

East	On Random On South Boundary of Sec. 32 T 34 N. R 14 E
19.00	Enter Prairie Marsh.
23.00	Left Do " W. Head around Margin
30.00	Enter Swamp
40.00	Set Temporary q. Sec. post in swamp.
41.00	Left the Swamp bears N.W.
80.00	Set Temporary post Corner to Sec. 32 + 33 On South side of a large Swamp Land level wet poor 3 <sup>d</sup> rate. mostly Swamp. Timber. Maple. Willow. Aspens. Ash. & Undergrowth. Willow. P. Ash. Rose Brins

East	On Random On South Boundary of Sec 33 T 34 N. R 14 E P
40.00	Set Temporary q. Sec. post.
46.50	Enter Willen Marsh.
53.50	Left Do Do
58.00	Enter Marshy Prairie Offset South 7. ch.
70.00	Offset North 4.50
80.00	Set a Post 2.50 links South of true Random line. Land part Oak Barrens balance poor 3 <sup>d</sup> rate. Timber. Oak. Hickory & upland Marshes. fringed with Willen Alder, Rose Brins &.

East	On Random On South Boundary of Sec 34 T 34 N. R 14 E.
37.00	Left Marshy prairie & paid Offset
40.00	Set Temporary q. Sec. post
77.50	North bend of Spring Run 5 links wide. Course S.E.
80.00	Set Temporary post Corner to Sec. 34 + 35 Land 1 <sup>st</sup> part Swampy. last part dry & poor 3 <sup>d</sup> rate. Timber. Oak & Hickory. Undergrowth Huckleberry. Maple &.

215

T 33 N. R 14 E 2<sup>nd</sup> Mer. Indians.

East On Random On South Boundary of Sec 35  
T 34 N. R 14 E.

- 29.00 Enter Swamp  
40.00 Set temporary g. Sec. post.  
42.00 Left the Swamp  
44.00 A Stream 18 links wide. Course S.E.  
54.00 Same N.E.  
80.00 Set temporary Post Corner to Sec. 35 & 36  
Land level swampy 3<sup>rd</sup> rate. Timber Ash,  
Elm. Maple, Gum. some Oak. & Hickory,  
Underg<sup>th</sup> B. Ash. Ironwood. Ash. &c.

East On Random On South Boundary of Sec 36  
T 34 N. R 14 E

- 36.50 A Stream 20 links wide. from N.W.  
38.50 Left same N. N. E. 1/2 E.  
40.00 Set temporary g. Sec post.  
45.00 Same Stream S. E. E.  
79.11 Intersect the Range line between Ranges  
14 & 15 East 14 chs. & 14 links South of  
Township Corner.  
Land level Wet 3<sup>rd</sup> rate. Timber Ash,  
Elm. Beech. Oak, &c. Undergrowth. B. Ash  
Ironwood Hickory, &c. &c.  
N.B. Bearing trees for the N.E. Corner of  
Township 34 North Range 14 East. are  
a Burr Oak 26 in. diam. bears N. 39 E. 24 links dist.  
an Elm. 22 " " " N. 35 W. 6 " "

West Corrected On South Boundary of Sec 36  
T 34 N. R 14 E var. 5. 55 E.

- 27.34 A W. Oak 20 in. diam.  
40.00 Set a g. Sec post from which  
a Hickory 8 in. diam. bears N. 81 E 7 links dist.  
a Do 8 " " " N. 70 1/2 W. 24 " "  
58.54 An Elm 24 in. diam.

T 33 N. R 14 E. 2<sup>nd</sup> Mer. Indianas

80.00	Set a Post Corner to Sec. 35 + 36 from which a W. Oak 20 in. diam. bears N 32 W. 37 links dist. & an Ironwood 6 " " " N 34 E 30 " "
West	Corrected On South Boundary of Sec 35 T 34 N. R 14 E.
110.00	Set a gr. Sec. post. from which a W. Oak 4 in. diam. bears N 31 E 18 links dist. & an Elm 20 " " " N 48 W 38 " "
80.00	Set a Post Corner to Sec. 34 + 35 from which a Willow 10 in. diam. bears N 35 E 1.73 links dist. & an Elm 20 " " " S 1 W. 50 2 " " This post in Willow Swamp
West	Corrected On South Boundary of Sec 34 T 34 N. R 14 E.
26.79	An Elm 18 in. diam.
40.00	Set a gr. Sec. post from which a W. Oak 18 in. diam. bears S. 7 1/2 W. 31 links dist. & a Hickory 16 in. " " N. 86 E. 16 " "
75.81	A Do 18 in. diam.
80.00	Set Post Corner to Sec. 33 + 34 from which a Grey Ash 6 in. diam. bears N. 54 E. 23 links dist. & a W. Oak 10 " " " N. 78 1/2 W. 18 " "
West	Corrected On South Boundary of Sec 33 T 34 N. R 14 E.
23.32	A W. Oak 20 in. diam.
40.00	Set a gr. Sec post from which a Black Walnut 40 in. diam. bears N. 76 E. 9 links dist. & a Beech 12 " " " N. 73 W. 18 " "
63.54	An Ironwood 6 in. diam.
80.00	Set a Post Corner to Sec. 32 + 33 from which a Beech 20 in. diam. bears N 60 E 19 links dist. & a Do 12 " " " N 49 1/2 W 33 " "



T 33 N. R 14 E 2<sup>nd</sup> Mer. Indiana. 217

West Corrected On South Boundary of Sec 32  
T 34 N. R 14 E.

- 25.25 A W. Oak 18 in. diam.  
40.00 Set a q. Sec. post. from which  
a W. Oak 8 in. diam. bears N. 6 E. 18 links dist. &  
a Do 18 " " " S. 66 E. 10 " "  
80.00 Set a post corner to Sec. 31 + 32 from which  
an Elm 20 in. diam. bears N. 76 E. 36 links dist. &  
a Burr Oak 10 in. " " N. 21 W. 48 " "

West Corrected On South Boundary of Sec 31  
T 34 N. R 14 E.

- 25.86 A Red Oak 24 in. diam.  
40.00 Set a q. Sec. post from which  
an Ash 6 in. diam. bears North 4 links dist. &  
an Elm 12 " " " N. 81 E. 29 " "  
69.22 A Beech 18 in. diam.  
79.11 Intersect Range line where set Township  
corner post. between Ranges 13 + 14 Towns 33  
+ 34. North. 1 chain + 77 links South of  
Temporary post. where  
a Hickory 12 in. diam. bears S. 75 E. 22 links dist. &  
a W. Oak 20 " " " S. 72 W. 23 " " &  
a Blk Oak 24 " " " N. 60 W. 36 " " &  
a W. Oak 22 " " " N. 28 E. 28 " "

West Boundary sur 4.55 E  
North On East Boundary of Sec 36 T 33 N. R 13 E

- 2.50 A Branch 3 links wide. Course S. W.  
29.63 A Sugar 4 in. diam.  
40.00 Set a q. Sec. post. from which  
a Beech 20 in. diam. bears S. 77 W. 31 links dist. &  
a Do 20 " " " N. 47 W. 54 " "  
56.50 Enter Swamp E.  
58.50 Left the same  
62.25 A Spruce 12 in. diam.



## T 33 N. R 14 E 2nd Mer. Indiana

72.40 A Stream 10 links wide, Course, E.C.  
 80.00 Set a post-Corner to Sec. 25 + 36 from which  
 a Red Oak 24 in. diam. bears S 82° W 14 links dist. &  
 a W. Oak 16 " " " N 43° W 37 " "  
 Land level 2<sup>nd</sup> rate, Timber. Beech. Sugar  
 Linn. Hickory, W. Oak. Red Oak. Elm.  
 Buckeye, &c. Undergrowth Spice,  
 Ash. Sugar Willow. Hawthorn. Briers,  
 Buckeye. Linn. Hickory, &c. &c.

North On East Boundary of Sec 25 T 33 N. R 13 E  
 5.00 Enter Swamp  
 9.00 Left Do  
 21.72 A Beech 18 in. diam.  
 41.00 Set a q. Sec. post from which  
 a Sugar 4 in. diam. bears N. 20° W. 12 links dist. &  
 a Do 5 " " " S. 71° W. 32 " "  
 63.50 A Stream 5 links wide. Course East.  
 64.00 A Buckeye 8 in. diam.  
 77.50 Enter Swamp  
 80.00 Set Post-Corner to Sec. 24 + 25 in Swamp  
 from which an  
 Elm 10 in. diam. bears S. 2.84 links dist. & a  
 W. Oak 6 " " " N. 1 E. 2.65 links "  
 Land level not 2<sup>nd</sup> rate, Timber. Oak. Ash  
 Hickory. Beech. Elm. Hawthorn.  
 Undergrowth Chenwood. Hawthorn. Ash. Rose  
 Willow, &c. &c.

North On East Boundary of Sec 24. T 33 N. R 13 E.  
 3.50 Left the Swamp  
 11.50 A Stream 5 links wide. E. & E.C.  
 13.50 Enter Swamp  
 16.00 Left the Same  
 19.84 A S. Ash 18 in. diam.  
 40.00 Set a q. Sec. post. from which.

T 33 N. R 14 E. 2nd Mer. Indiana. 219

- a Beech 18 in. diam. bears S 4 1/2 W 50 lks dist &  
 a Do 4 " " " " S 4 1/2 W 42 " "  
 57.40 A Beech 20 in. diam.  
 68.00 A Swamp Offset East 12 chains  
 69.00 A Dead Stream 40 links wide. Course East  
 where an Offset.  
 75.00 Offset paid.  
 80.00 Set a Post Corner to Sec. 13 + 24 from which  
 a W. Oak 4 in. diam. bears N. 22 W 3 links dist &  
 a Cherry 4 " " " " S. 31 1/2 " 15 " "  
 Land mostly level met 2nd + 3rd rate. Timber  
 Beech. Elm. Oak. Ash. Syc. Maple. Hickory  
 &c. Undergrowth, Oak. Hickory. Ash. Syc.  
 Sassafras. Willow. Dogwood. &c.

- 
- North On East Boundary of Sec 13. T 33 N. R 13 E.  
 21.45 A W. Elm 16 in. diam.  
 40.00 Set a gr. Sec posts from which  
 a Black Ash 6 in. diam. bears N. 25 W 39 links dist  
 & a Grey Oak 10 " " " " S. 21 1/2 W 32 " "  
 43.00 Enter Maple Swamp

December 17th 1830

- Offset East 25.00  
 62.25 A Stream 10 links wide, while in Offset.  
 65.00 Requested Offset. + fell into line  
 65.18 A W. Oak 10 in. diam.  
 80.00 Set a Post Corner to Sec. 12 + 13 from which  
 a W. Oak 34 in. diam. bears N. 26 W 16 links dist &  
 a Beech 18 " " " " S. 69 W 30 " "  
 Land level met 2nd + 3rd rate Timber. lofty  
 Hickory, Oak. Sugar. Elm. Ash. Maple  
 Syc. Beech. &c. Undergrowth, Ash.  
 Sugar. Ironwood. Willow. Hickory. Water=  
 Beech. &c. &c.

---

North On East Boundary of Sec 12 T 33 N. R 13 E.

## T 33 N. R 14 E 2nd Mer. Indians.

- 21.72 A Hickory 22 in. diam.  
 23.00 Land on Maple Swamp.  
 Offset West. 5.00  
 27.50 Do paid.  
 40.00 Set a q. Sec. post. from which  
 a Red Oak 28 in. diam. bears S 30° W. 20 lks. dist. &  
 a Buckeye 16 " " " N 19° W 21 " "  
 41.00 Enter Swamp E + 40.  
 57.00 Left Do.  
 60.65 A Grey Ash 16 in. diam.  
 72.00 Enter Swamp  
 75.25 A Stream 20 links wide. E. S. E.  
 76.50 Left the Swamp.  
 80.00 Set post Corner to Sec. 1 & 2 from which  
 a Beech 18 in. diam. bears S 51° W. 2 1/2 lks. dist. &  
 an Ironwood 6 in. " " South 14 " "  
 Land mostly level + Wet. 2nd rate. Timber  
 Ash. Elm. W. + Red Oak. Beech. Gum.  
 Sugar. Walnut. Buckeye. &c. Undergrowth.  
 Sugar. Water Beech. Ironwood. Elm.  
 Hickory. Willow. Gum. Briers. Thornbush  
 Black Honeysuckle &c. &c.

North On East Boundary of Sec. 1. T 33 N. R 13 E.

- 24.00 A Beech 20 in. diam.  
 40.00 Set a q. Sec. post. from which  
 a Beech 14 in. diam. bears N 27° W. 33 lks. dist. &  
 a Do 20 " " " S 56° W 25 " "  
 48.00 Old Indian Trace. S. W. + S. E.  
 63.88 A Hickory 24 in. diam.  
 80.00 Set Temporary Town Corner post.  
 Land level 2nd rate. Timber Ash. Beech. Hick.  
 Poplar. Elm. Sugar. Gum. Oak. Walnut. Maple. &c.  
 Undergrowth. Spice. Ash. Blk. Honeysuckle. Ironwood.  
 Hickory. &c. &c.  
 Surveyed by  
 Thomas Brown, D. S.

Subdivisions.

North Between Sec 35 + 36

20.90 A Beech 18 in. diam.

40.00 Set a q. Sec post from which  
a Beech 30 in. diam. bears S. 20 E. 37 links dist &  
a Sugar 30 " " " N. 53 E. 22 " "

60.00 A Beech 20 in. diam.

80.00 Set a post Corner to Sec. 25. 26 35 + 36  
from which on

Corn 10 in. diam. bears S. 46 E. 28 links dist &

a Burr Oak 40 in. " " S. 18 W. 18 " "

Land flat swampy 3<sup>rd</sup> rate, Timber,  
Beech, Sugar, &. Undersownth, Bricky Ash  
Beech, Spice wood,

East On Random between Sec. 25 + 36

40.00 Set temporary q. Sec post.

79.40 Intersect East Boundary 32 links South of Post.  
Land + Timber same as last mile

West Connected between Sec. 25 + 36

39.75 Set a q. Sec. post at aver. dist from which  
a Beech 18 in. diam. bears S. 70 E. 22 links dist &  
a Or 24 " " " N. 49 W. 11 " "

79.40 To Sec corner,

North Between Sec. 25 + 26

24.72 A Beech 20 in. diam.

40.00 Set a q. Sec post from which

a Beech 30 in. diam. bears S. 82 W. 11 links dist &

a Sugar 4 " " " S. 62 E. 10 " "

58.70 A Beech 12 in. diam.

80.00 Set a Post Corner to Sec. 23. 24 25 + 26 from which

a Beech 24 in. diam. bears S. 46 E. 32 links dist &

a Or 8 " " " S. 87 W. 10 " "

Land + Timber same as last mile,



T 33 N. R 14 E 2<sup>nd</sup> Mer. Indiana

East On Random between Sec. 24 + 25  
 11. 00 A Brook 12 links wide. Course N.  
 20. 00 A Beech 12 in. diam.  
 33. 50 To Waggon Road  
 40. 00 Set temporary of the post.  
 80. 00 Intersect East Boundary 70 links E. of Post.  
 Land 1<sup>st</sup>  $\frac{1}{4}$  mile 2<sup>nd</sup> rate. Timber. W. Oak,  
 Ash, Beech, &c. Undergrowth P. Ash. Spice.  
 3<sup>rd</sup>  $\frac{1}{4}$  mile Beech Swamp.

West Connected between Sec. 24 + 25  
 40. 00 Set a q. the post on true line from which  
 an Ash 12 in. diam. bears N. 88 E. 26 links dist. &  
 a Beech 20 " " " S. 58 W. 30 " "  
 80. 00 To the corner.

North Between Sec. 23 + 24  
 6. 50 A Trail  
 14. 00 A Brook 12 links wide. Course West  
 21. 64 A Beech 12 in. diam.  
 40. 00 Set a q. the post from which  
 a Beech 12 in. diam. bears West 27 links dist. &  
 an Ironwood 3 " " " N. 28 E. 10 " "  
 52. 00 Waggon Road.  
 58. 30 An Elm 24 in. diam.  
 65. 00 To Swamp  
 75. 00 Left same  
 80. 00 Set a post Corner to Sec. 13. 14. 23 + 24  
 from which  
 an Ash 6 in. diam. bears South 12 links dist. &  
 a Beech 12 " " " N. 23 W. 9 " "  
 Land level swamp, 2<sup>nd</sup> rate. Timber Ash,  
 Elm. W. Oak. Hickory. Beech. Gum, &c.  
 Undergrowth same

East On Random between Sec. 13 + 24 var. 5<sup>th</sup> to 6



223

T 33 N. R 14 E 2nd Mer. Indiana.

12.00 Enter Swamp  
 32.00 Left Same  
 40.00 Set Temporary q Sec. post  
 42.00 Wagon Road N + S.  
 45.00 Enter Swamp  
 52.00 Left Do  
 78.25 Intersect East Boundary  $3\frac{1}{4}$  links S. of Sec.  
 Land level. swampy, 2nd rate. Timber,  
 Oak. Hickory, Ash, Elm. Beech. Linn.  
 &c. Undergrowth similar with Ironwood,  
 Boxwood. Willow, & Elder.

---

West Connected between Secs. 13 + 24

39.12½ Set a q. Sec post at aver. dist. from which  
 a Maple 20 in. diam. bears East 26 links dist. &  
 a Do 15 " " " N 24½ W 26 " "  
 78.25 To Sec. Corner.

---

North Between Sections 13 + 14

9.70 A Beech 12 in. diam.  
 15.00 Enter Windfall  
 38.50 Left Do  
 40.00 Set a q. Sec post from which  
 a Beech 14 in. diam. bears S 33 W 22 links dist. &  
 a Do 7 " " " N 38½ E 12 " "  
 42.30 A No Oak 15 in. diam. On S. Bank of the  
 St. Josephs River.  
 67.13 A Sugar 10 in. diam. on the North side of Do.  
 80.00 Set Post-Corner to Secs. 11. 12. 13 + 14 from which  
 a Hickory 6 in. diam. bears S 19 E. 3½ links dist. &  
 a Do 5 " " " N. 5½ E 20 " "  
 Land 2nd. 1st. ½ mile level. 2nd. Rolling.  
 Timber & Undergrowth as before.

---

East On Random between Secs. 12 + 13

14.15 To River.

13. 25 Over the River  
 25. 25 To River  
 31. 20 Over Do.  
 40. 00 Set temporary p. The Post.  
 63. 00 To River  
 68. 50 Over Do.  
 79. 86 Intersect the East Boundary 25 links  
 North of the Post.  
 Land selling 1<sup>st</sup> rate, Timber, Ash, Sugar,  
 Linn, Elm, Buckeye, Walnut &c.,  
 Undergrowth Spice, Ironwood & Buckeye,  
 Boxwood &c.

West Corrected between Sect. 12 & 13  
 11. 36 Set fractional post on East side of The  
 River, from which  
 a Boxwood 4 in. diam. bears S 6 $\frac{1}{2}$  E 9 links dist. &  
 a Buck 5 " " " S. 43 W. 9 " "  
 13. 88 Set fractional post on the West side of  
 River, from which  
 an Ash 6 in. diam. bears S 79 E. 33 links dist. &  
 a Hickory 7 " " " S. 70 W. 8 " "  
 39. 93 A Buckeye 7 in. diam. is  $\frac{1}{4}$  Sec Corner  
 48. 66 Set fractional post on the East side of River  
 from which a  
 Buck 6 in. diam. bears N. 7 E. 5 links dist. &  
 a Do 3 " " " S. 46 W. 2 " "  
 53. 61 A Sycamore 36 in. diam. on West side of River  
 60. 41 Set fractional post on the East side of River  
 from which an  
 Elm 40 in. diam. bears N. 3 W. 16 links dist. & a  
 Do 30 " " " S. 9 E. 18 " "  
 68. 71 An Ironwood 6 in. diam. on West side of River  
 79. 86 To Sec. Corner

North Between Sect 11 & 12

225

T 33 N. R 14 E 2nd Mer. Indiana.

24.59 A Beech 15 in. diam.  
 40.00 Set a gr. Sec. post. from which  
 a Beech 16 in. diam. bears S. 36 E. 14 links dist. &  
 a Sugar 4 " " " N. 25 1/2 W. 17 " "  
 59.45 A Red Oak 32 in. diam.  
 80.00 Set Post Corner to Sec. 1. 2. 11 & 12 from which  
 a Sugar 12 in. diam. bears S. 15 W. 27 links dist. &  
 a Red Oak 11 " " " N. 9 E. 35 " "  
 Land rolling 1 1/2 mts. Timber. W. Oak. Red Oak,  
 Beech. Sugar. Ash. Lym. &c. &c. Undergrowth  
 Chenwood. Lym. Oak. Ash. Elm. Spice. &c.

---

East On Random between Sec. 1 & 12

8 10 Enter Swamp

10.00 Left same

40.00 Set a Temporary gr. Sec. post.

79.85 Intersect East Boundary 20 links North of Post.  
 Land level 2nd rate. Timber. Beech. Ash. Oak,  
 Elm, &c. Undergrowth. Chenwood. Dogwood,  
 Beech, &c. &c.

---

West Corrected between Sec. 1 & 12

39.92 Set gr. Sec. post at aver. dist. from which  
 an Elm 6 in. diam. bears N. 25 1/4 W. 16 links dist. &  
 an Ash 5 " " " S. 26 1/4 E. 10 " "

79.85 To Sec. corner

---

North Between Sec. 1 & 2

17.85 ~~Leave Swamp~~ a Lym 24 in. diam.

40.00 Set a gr. Sec. post. from which  
 a W. Oak 4 in. diam. bears S. 43 1/2 W. 23 links dist. &  
 a Do 14 " " " N. 6 E. 23 " "

63.50 A Do 14 in. diam.

74.00 A Creek 15 links wide. Course S. E.

81.25 Intersect the North Boundary 11 links West  
 of the Post. Set Post Cor. to Sec. 1 & 2 from which

## T 33 N. R 14 E 2nd Mer. Indiana.

	<p>a W. Oak 30 in. diam. bears S 4 E, 38 lks. dist. &amp;  a Do 7 " " " S 49 W, 57 " "  Land rolling 2<sup>nd</sup> rate. Timber, Oak, Beech  Hickory, Ash, &amp;c. Undergrowth, Oak, Sassafras  Cherry, Hickory, Cornwood, Dogwood, &amp;c.</p>
North	Between Sec. 34 & 35
20.62	A Beech 18 in. diam.
40.00	Set a q. Sec. post from which a Beech 20 in. diam. bears N 67 W, 45 links dist. & a Hickory 6 " " " N. 68 E, 10 " "
60.30	A Beech 18 in. diam.
80.00	Set a post Corner to Sec. 26. 27. 34 & 35 from which a Beech 20 in. diam. bears N 35 W, 22 links dist. & a Do 20 " " " N. 49 E, 25 " " Land rolling 2 <sup>nd</sup> rate. Timber, Beech, Sugar, Hickory, Oak, Ash, &c. &c. Undergrowth Oak Sassafras, Hickory, Cherry, &c.
East	On Random between Sec. 26 & 35
10.50	A Brook 10 links wide. Course, S. W.
40.00	Set a Temporary q. Sec. post,
41.00	A Brook 6 links wide. Course North.
46.20	Wagon Road
80.16	Intersect N & S line 48 links South of the Post Land 1 <sup>st</sup> & 2 <sup>nd</sup> mile. Same as last North mile 2 <sup>nd</sup> & 3 <sup>rd</sup> flat Beech Swamp
West	Corrected between Sec. 26 & 35
40.08	Set a q. Sec. post from which a Beech 12 in. diam. bears N. 73 W, 24 links dist. & a Do 14 " " " South 25 " "
80.16	To Sec. corner.
North	Between Sec. 26 & 27



T 33. N. R. 14 E 2nd Mer. Indiana, 227

- 24.15 A Cherry 12 in. diam.  
 40.00 Set a q. Sec post from which  
 an Ash 6 in. diam. bears N. 35 W. 10 links dist. &  
 a Beech 20 in. " " S 42 W 22 " "  
 45.25 A Creek 20 links wide. Course W.  
 63.00 A trail. Course, S. E.  
 63.04 A Cherry 8 in. diam.  
 80.00 Set a post Corner to Sec. 22, 23, 26 & 27 from which  
 a Beech 20 in. diam. bears N 55 E 6 links dist. &  
 a Do 20 " " " West 24 " "  
 Land rolling 1<sup>st</sup> rate. Timber. Beech. Oak,  
 Ash, Cherry. Hickory, &c. Undergrowth same.

---

East On Random between Sec. 23 & 26

- 36.00 A Trail North  
 40.00 Set Temporary q. Sec post.  
 43.00 A trail. Course S. W.  
 55.20 A Brook 10 links wide. Course  
 76.00 Wagon Road. N. E.  
 79.00 Intersect the N & S line 1.29 links S. of the Post.  
 Land rolling 2<sup>nd</sup> rate. Timber. Hickory, Oak,  
 Ash, &c. Undergrowth thick. L. Ash. Spice,  
 Sassafras. &c. &c.

---

West Connected between Sec 23 & 26

- 39.50 Set a q. Sec post at even dist. from which  
 a Beech 24 in. diam. bears S 49 E. 23 links dist. &  
 a Do 24 " " " N 28 E. 28 " "  
 79.00 To Sec. corner

---

North Between Sec. 22 & 23

- 12.00 Enter Swamp  
 15.00 Left Do  
 24.40 A Hickory 8 in. diam.  
 31.00 A Brook 8 links wide. Course S. W.  
 40.00 Set a q. Sec post from which



T 33 S. R 14 E 2<sup>nd</sup> Mer. Indiana.

a Beech 20 in. diam. bears N 42 W 18 links dist. &  
 a Do 30 " " " " N 40 E 32 " "  
 60, 40 A Beech 12 in. diam.  
 75, 00 To River & set fractional post from which  
 an Ash 7 in. diam. bears N 37 W 10 links dist. &  
 a Beech 33 in. " " S. 55 W. 20 " "  
 77, 00 Set fractional post on the North side of  
 River, from which  
 an Elm 8 in. diam. bears N 30 W 25 links dist. &  
 a Do 6 " " " " N. 16 E. 18 " "  
 80, 00 Set a post Corner to Sec. 14. 15. 22 & 23  
 from which a  
 Buckeye 15 in. diam. bears S. 44 E. 5 links dist. &  
 an Elm 6 " " " " N. 7 W. 10 " "  
 Land 1<sup>st</sup> rate. Timber. Ash. Poplar. Walnut,  
 Oak. &c. &c.

East On Random between Sec. 14 & 23  
 7. 50 Set fractional post on the West side of River  
 from which  
 a W. Oak 12 in. diam. bears N 57 W 8 links dist. &  
 a Do 10 " " " " S. 78 E. 9 " "  
 10, 50 Set fractional post on East side of River  
 from which a  
 Beech 6 in. diam. bears N 89 E 13 links dist. & a  
 Do 20 " " " " S. 18 W. 30 " "  
 57, 00 Wagon Road  
 80, 83 Intersect N & S line 83 links North of Post.  
 Land 1<sup>st</sup> 1/2 mile 1<sup>st</sup> rate. Timber. Poplar,  
 Sugar. Oak. Walnut. 2<sup>nd</sup> 1/2 mile, 2<sup>nd</sup> rate  
 Timber. Beech. Oak. Sugar. &c. &c.  
 Undergrowth. Sugar. Oak. Beech. &c.

West Connected between Sec. 14 & 23  
 40, 41 1/2 Set a gr. Sec. post at aver. dist. from which  
 a Beech 6 in. diam. bears N 42 E 27 links dist. &

229

T 33 N. R. 14 E 2<sup>d</sup> Mer. Indiana.

80.83 a Beech 15 in. diam. bears N 25 W 22 links dist.  
To Sec Corner.

North Between Sec. 14 & 15

18.75 An Ironwood 7 in. diam.

40.00 Set a q. Sec post from which  
a Beech 20 in. diam. bears S 58 W 12 links dist &  
a Poplar 40 " " " N 35 E 14 " "

59.88 A Beech 12 in. diam.

61.00 A Brook 10 links wide. course S.W.

80.00 Set post Corner to Sec. 10. 11. 14 & 15 from which  
a Linn 12 in. diam. bears S 8 E 19 links dist &  
a Dr 11 " " " N. 12 E. 10 " "

Land. Rolling 1<sup>st</sup> rate. Timber. Linn. Ash.  
Oak. Ash. Elm. Cherry. Beech. &c.

Undergrowth similar - interspersed with  
Ironwood. Spice, &c. &c.

East On Random between Sec. 11 & 14

2.75 A Brook 8 links wide. S.W.

40.00 Set Temporary q. Sec post.

79.45 Intersect the N & S line. 1. 15 links North  
of the post.

Land Timber + Undergrowth as before.

West Corrected between Sec. 11 & 14

39.72 1/2 Set a q. Sec post at aver. dist from which  
a Red Oak 8 in. diam. bears N. 12 W. 3 links dist &  
an Elm 6 " " " S 14 E. 11 " "

79.45 To Sec. corner

North Between Sec. 10 & 11 var. 5° 15' E.

4.00 A Run 8 links wide. course S.E.

12.00 Leave same

23.00 Same. course S.E.

27.65 An Ash 15 in. diam.

## T 33 N. R 14 E 2nd Mer. Indiana,

40.00 Set a gr. Sec. post from which  
a W. Oak 10 in. diam. bears S. 77° W. 4 links dist. &  
an Ash 5 " " " S. 79° E. 4 " "

57.70 A W. Oak 24 in. diam.

80.00 Set a post Corner to Sec. 2. 3. 10 & 11 from which  
a Beech 10 in. diam. bears S. 23° E. 35 links dist. &  
a Do 14 " " " N. 23° W. 13 " "

Land rolling 2<sup>nd</sup> rate. Timber Oak, Beech,  
Ash, Sugar, Poplar, &c., Undergrowth similar  
with Dogwood, Ironwood, Cherry, &c.

East On Random between Sec. 2 & 11

25.00 Enter Swamp

40.00 Set Temporary gr. Sec. post.

57.00 Left the Swamp

79.72 Intersect the N & S line 28 links North of Post  
Land level swampy 2<sup>nd</sup> rate. Timber and  
Undergrowth as before.

West Connected between Sec. 2 & 11

39.86 Set a gr. Sec. post at aver. dist. from which  
an Elm 6 in. diam. bears S. 63° E. 15 links dist. &  
a Do 5 " " " N. 55° W. 22 " "

79.72 To Sec. Corner

North Between Sec. 2 & 3

24.74 A W. Oak 5 in. diam.

40.00 Set a gr. Sec. post from which  
a Hickory 6 in. diam. bears S. 56° W. 12 links dist. &  
a Red Oak 8 " " " N. 68° E. 11 " "

60.60 A Beech 15 in. diam.

74.00 Enter Swamp

79.60 Intersect the North Boundary 55 links East  
of Post. in Swamp. Set Post. Cor. of 2 & 3  
a W. Oak 24 in. diam. bears N. 11° W. 20 links dist. &  
a Willow 8 " " " N. 16° E. 1.50 " "

## T 33 N. R. 14 E 2nd Mer. Indiana.

Land rolling 2<sup>nd</sup> rate. Timber. Oak. Ash. & Hickory. Beech. Elm. &c. Undergrowth similar with Ironwood. Cherry. Sassafras. &c.

North Between Sec. 33 + 34

16.83 A Hickory 15 in. diam.

37.60 A Brook 12 links wide. Course N. E.

40.00 A Beech 22 in. diam. for  $\frac{1}{4}$  Sec. Corner.

57.40 A Do 13 " "

80.00 Set a post Corner to Sec. 27. 28. 33 + 34 from which a W. Oak 10 in. diam. bears S 55 W  $\frac{1}{4}$  links dist. & an Ironwood 4 in. " " N. 37 E. 8 " "

Land rolling 2<sup>nd</sup> rate. Timber. Beech. Oak. Ash. Gyn. Hickory. Elm. &c. &c. Undergrowth similar.

East On Random between Sec. 27 + 34

40.00 Set temporary q. Sec. post.

80.30 Intersect the N + S line 56 links South of Post. Land Timber + Undergrowth as before.

West Connected between Sec. 27 + 34

40.15 Set a q. Sec. post at aver. dist. from which a Sugar 12 in. diam. bears S 59 E  $\frac{1}{4}$  links dist. & a W. Oak 8 " " " N 38 W 27 " "

80.30 To Sec. Corner

North Between Sec. 27 + 28

24.50 An Elm 36 in. diam.

32.00 Set fractional post on the South side of River. from which

a Gyn. 8 in. diam. bears N. 81 E. 1.3 links dist. & an Ash 10 " " " S. 87 W. 24 " "

34.60 Set fractional post on the North side of River. from which an Ash 5 in. diam. bears S 53 E. 5 links dist. &



## T 33. N. R 14 E. 2nd Qu. Indiana.

40.00 a Buckeye 6 in. diam. bears N 24 $\frac{1}{2}$  W 6 links dist. &  
 Set up Sec. post, from which  
 an Ash 14 in. diam. bears S 17 $\frac{1}{2}$  E 16 links dist. &  
 a Syc 16 " " " N. 20 W. 33 " "  
 57.00 A Poplar 15 in. diam.  
 80.00 Set post Corner to Sec. 21. 22. 27 & 28 from which  
 a Beech 10 in. diam. bears N 28 W 26 links dist. &  
 a Hickory 6 " " " S 26 $\frac{1}{2}$  E 19 " "  
 Land rolling 1 $\frac{1}{2}$  rate. Timber. Sugar. Beech  
 Ash. Syc. Walnut. &c. &c. Undergrowth  
 similar with Spice, Pawpaw, &c.

East On Random between Sec. 22 & 27  
 23.50 To River  
 25.00 Over Do  
 40.00 Set temporary gp. Sec. post  
 80.33 Intersect the N & S line 12 links N. of Post.  
 Land 1 $\frac{3}{4}$  mile as before. 2 $\frac{1}{2}$  level 2 $\frac{1}{2}$   
 rate. Timber. Beech. Oak. Hickory. Ash,  
 Syc. &c. &c. Undergrowth. Ironwood,  
 Dogwood. Beech, &c. &c.

West Connected between Sec. 22 & 27  
 40 16 $\frac{1}{2}$  Set a gp. Sec post at aver. dist. from which  
 a Beech 7 in. diam. bears N. 3. E. 3 links dist. &  
 an Elm 15 " " " S 14 $\frac{1}{2}$  W 25 " "  
 55.33 An Elm 15 " " On East side of River  
 58.83 Set fractional post on the West side of River  
 from which a  
 Hackberry 8 in. diam. bears N 38 W 25 links dist. & a  
 Do. 15 " " " S 66 W 34 " "  
 80.33 To Sec Corner

North Between Sec. 21 & 22  
 5.00 A Brook 10 links wide. Course East.  
 21.07 A W. Oak 9 in. diam.

- 39.60 A Brook 8 links wide. Course SE.  
 40.00 Set a q. Sec. post. from which  
 a Sugar 7 in. diam. bears S 12 1/2 E 16 links dist. &  
 a Beech 15 " " " N. 3 W. 23 " "  
 53.00 A Brook 6 links wide. Course  
 56.60 A Walnut 13 in. diam.  
 57.00 Left Run 5 links wide. Course SE.  
 80.00 Set a post Corner to Sec. 15 + 22 from which  
 a Cherry 8 in. diam. bears S 32 1/2 W. 6 links dist. &  
 an Ironwood 4 in. " " N. 43 E. 11 " "  
 Land rolling 2<sup>nd</sup> rate. Timber. Beech. Oak,  
 Sugar. Walnut. Ash. &c. Underneath  
 Ironwood. Beech. Dogwood. Hickory, &c.

---

East On Random between Sec. 15 + 22

- 27.83 A Brook 12 in. diam. South  
 40.00 Set a q. Sec. post. (Temporary)  
 80.25 Intersect the N + S line at post.  
 Land &c. as before

---

West Connected between Sec. 15 + 22

- 40.12 1/2 Set a q. Sec. post. at aver. dist. from which  
 an Ash 20 in. diam. bears S 40 E. 56 links dist. &  
 a Dr 8 " " " N. 11 E. 5 " "  
 80.25 To Sec. Corner.

---

North Between Sec. 15 + 16

- 14.75 A Red Oak 26 in. diam.  
 36.50 A Creek 20 links wide. Course SE.  
 40.00 Set a q. Sec. post. from which  
 an Ash 4 in. diam. bears N. 1 1/4 W. 7 links dist. &  
 an Elm 11 " " " S. 62 W. 14 " "  
 60.60 A Beech 13 in. diam.  
 80.00 Set a post Corner to Sec. 9. 10 15. + 16 from which  
 an Elm 9 in. diam. bears S 36 1/2 E. 18 links dist. &  
 a Dr 5 " " " N. 70 1/2 W. 25 " "

Land 1 $\frac{1}{4}$  mile as before. 2 $^{nd}$   $\frac{1}{2}$  Rolling. 1 $^{st}$  water. Timber. Walnut. Poplar. Oak. Beech. Ash. Elm. Hickory. Buckeye &c. Undergrowth. Spice. Pawpaw. Ash. Elm. Hickory. Beech &c.

East On Random between Sec. 10 & 15  
 9.00 Enter Swamp  
 14.00 Left Do.  
 40.00 Set Temporary gr. Sec. post  
 80.50 Intersect the N & S line 15 links S. of Post.  
 Land & Timber as before.

West Connected between Sec. 10 & 15  
 40.25 Set a gr. Sec. post at aver. dist. from which  
 a Beech 16 in. diam. bears N. 50 $^{\circ}$  W. 16 links dist. &  
 a Do 17 " " " S. 50 $^{\circ}$  E. 15 " "  
 80.50 To Sec. corner

North Between Sec. 9 & 10  
 28.85 A Hickory 12 in. diam.  
 31.00 Enter Swamp  
 36.00 Left same.  
 40.00 Set a gr. Sec. post. from which  
 a Maple 7 in. diam. bears S. 8 $^{\circ}$  W. 43 links dist. &  
 a W. Oak 22 in. " " N. 40 $^{\circ}$  E. 9 " "  
 62.75 An Ash 8 in. diam.  
 80.00 Set a post corner to Sec. 3, 4, 9 & 10 from which  
 a Cherry 8 in. diam. bears S. 11 $^{\circ}$  E. 15 links dist. &  
 a Buckeye 5 in. " " N. 48 $^{\circ}$  E. 12 " "  
 Land rolling 2 $^{nd}$  water. Timber. W. Oak. Hickory.  
 Beech. Ash. &c. Undergrowth. Sassafras.  
 Dogwood. Oak. Hickory. &c.

East On Random between Sec. 3 & 10  
 15.00 Enter Swamp  
 30.00 Left Do.

235

T 33 N. R 14 E Ind. Mer. Indiana.

40.00 Set Temporary of Sec post.  
 80.00 Intersect the N + S line 22 links South of Post  
 Land + Timber similar to last mile.

West Connected between Sec. 3 + 10  
 40.00 Set a q. Sec. post on true line from which  
 a Hickory 7 in. diam. bears S 70° W. 30 links dist. &  
 a Do 15 " " " N 67° E 17 " "  
 80.00 To Sec corner

North Between Sec. 3 + 4  
 16.00 Enter Tamarac Swamp  
 23.00 A Tamarac 13 in. diam.  
 34.00 Left Tamarac Swamp  
 40.00 Set Temporary of Sec. post from which  
 a Black Oak 16 in. diam. bears S 13° W. 30 links dist. &  
 a Hickory 5 in. " " " N 10° E 24 " "  
 44.00 Enter Willow Swamp  
 54.00 Left Do  
 57.85 A Black Oak 24 in. diam.  
 65.00 Enter Marsh  
 74.00 Left Do.  
 78.55 Intersect the North Boundary 60 links East  
 of the Post. Set a post Cor. to Sec. 3 + 4  
 from which  
 an Ash 6 in. diam. bears S 6° E. 7 links dist. &  
 a Hickory 8 in. " " " S 23° W. 37 " "  
 Land broken 2nd rate Timber. Ash. Syc.,  
 Oak. Walnut. Cherry &c. Undergrowth,  
 similar, with Spice swamp. Ironwood  
 Buckeye &c. &c.

North Between Sec. 32 + 33  
 2240 Set a fractional post on the South side of  
 River from which  
 a Beech 10 in. diam. bears N 6° E 25 links dist. &



an Ash 13 in. diam. bears S 66 $\frac{1}{2}$  W 17 lbs dis.  
 24.95 A Sugar 6 in. diam. on the North side of River.  
 40.00 Set a g. See post from which  
 a Beech 15 in. diam. bears S 26 $\frac{1}{2}$  W 8 links dis.  
 a Linn 6 " " " N 32 $\frac{1}{2}$  E 27 " "  
 58.75 A W. Oak 13 in. diam.  
 71.00 Enter Swamp  
 76.00 Left Do  
 80.00 Set post Corner to Sec. 28. 29. 32 & 33  
 from which  
 a Cherry 7 in. diam. bears N 44 E 3 links dis.  
 a Do 11 " " " S 88 W 7 " "  
 Land rolling 1<sup>st</sup> rate. Timber. Ash. Sugar.  
 Walnut. Oak. Cherry. &c. Undergrowth  
 similar. together with Spice. Ironwood.  
 Pawpaw. Buckeye. &c.

East On Random between Sec. 28 & 33  
 7.00 Enter Swamp  
 9.50 Left Do.  
 20.00 To River  
 23.50 Over Do.  
 50.50 To River  
 53.24 Over Do.  
 59.00 To Do.  
 69.34 Over River  
 80.34 Intersect the N & S line 33 links North of  
 the Post.  
 Land &c. similar to last.

West Connected between Sec. 28 & 33  
 18.00 Set fractional post on East side of River  
 from which  
 a Beech 10 in. diam. bears N 56 $\frac{1}{2}$  E 8 lbs dis.  
 a Linn 6 " " " S 68 $\frac{1}{2}$  W 13 " "  
 21.34 Set fractional post on the West side of River

- from which a  
Buckeye 18 in. diam. bears S. 43 W. 4 links dist. &  
a Sycamore 48 " " " N. 37 E. 6 " "
- 27.10 Set fractional post on West side of River  
from which  
a Buckeye 6 in. diam. bears S. 71 E. 19 links dist. &  
an Ash 4 " " " N. 10 E. 14 " "
- 29.84 Set fractional post on East side of the River  
from which  
a Lynn 5 in. diam. bears S. 61 W. 18 links dist. &  
a Dogwood 4 in. " " " N. 49 W. 10 " "
- 40.17 Set q. Sec. post at over dist. from which  
a Lynn 9 in. diam. bears N. 32 W. 3 links dist. &  
a Buckeye 8 in. " " " S. 61 E. 14 " "
- 56.84 An Elm 15 in. diam. On East side of River.
- 67.34 Set fractional post on West side of River  
from which  
a Red Oak 13 in. diam. bears S. 4 W. 10 links dist. &  
a Maple 5 " " " " N. 12 W. 20 " "
- 80.34 To Sec. Corner

North Between Sec. 28 & 29

- 16.20 A Beech 18 in. diam.
- 40.00 Set q. Sec post from which  
a Beech 16 in. diam. bears S. 81 1/2 E. 16 links dist. &  
a Dogwood 5 " " " " N. 73 1/2 W. 20 " "
- 61.90 A Maple 9 in. diam.
- 80.00 Set a post Corner to Sec. 20. 21. 28 & 29 from which  
a Red Oak 6 in. diam. bears N. 81 1/2 E. 10 links dist. &  
a Co 9 " " " " S. 57 W. 12 " "
- Land rolling 1<sup>st</sup> rate. Timber. Sugar. Ash  
Lynn. Walnut. Beech. Buckeye. Oak, &  
Undergrowth similar.

East On Random between Sec. 21 & 28

- 1.00 Enter Swamp

238

## T 33 N. R 14 E Twp. 11 N. Indiana.

18.00 Left the Swamp  
 40.00 Set temporary gr. Sec. post.  
 44.00 A Brook 8 links wide. Course S.E.  
 55.50 Left same " N.E.  
 79.76 Intersect the N + S line 12 links S. of Post.  
 Land level swampy 2<sup>nd</sup> rate. Timber.  
 Beech. Oak. Ash. Aspin. Lymn. &c. &c.  
 Undergrowth, Beech. Ironwood. Willow. Plum.  
 Dogwood. &c. &c.

West Connected between Sec. 21 + 28

39.88 Set a gr. Sec. post at aver. dist. from which  
 a Red Oak 7 in. diam. bears S. 88 E. 21 links dist. &  
 a Beech 10 " " " S. 82 W. 11 " "  
 79.76 To Sec Corner

North Between Sec. 20 + 21.

1.00 Enter Swamp  
 22.80 A Maple 16 in. diam.  
 40.00 Set a gr. Sec. post. from which (in Swamp)  
 an Elm 6 in. diam. bears S. 8 E. 39 links dist. &  
 an Aspin 8 " " " N. 9 E. 25 " "  
 43.00 Left the Swamp  
 61.00 A Maple 12 in. diam.  
 64.00 Enter Swamp  
 79.50 Left Do. & Enter Oak lands.  
 80.00 Set post Corner to Sec. 16. 17. 20 + 21 from which  
 an Elm 6 in. diam. bears S 32 1/2 W. 40 links dist. &  
 a Ironwood 4 in. " " N 42 1/2 E. 5 " "  
 Land 1<sup>st</sup> 1/2 mile all Swamp. 3<sup>rd</sup> rate.  
 2<sup>nd</sup> 1/2 mile 2<sup>nd</sup> rate & Swampy.  
 Timber. Oak. Elm. Maple. &c. Underg.  
 thickets. Oak. Beech. Ironwood. Willow. &c.

East On Random between Sec. 16 + 21

40.00 Set temporary gr. Sec. post.

79.72 Intersect the N & S line 11 links North  
of the Post,  
Land level swampy 2<sup>nd</sup> rate, Timber &  
Undergrowth similar to the last 1/2 mile South.

West Corrected between Sec. 16 & 21

39.86 Set a q. Sec. post at over dist. from which  
a Sugar 13 in. diam. bears N 63 E 21 links dist. &  
a Beech 10 " " " N 51 W 7 " "

79.72 To Sec. corner

North Between Sec. 16 & 17

18.90 A Beech 8 in. diam.

40.00 Set a q. Sec. post. from which  
a Beech 18 in. diam. bears S 57 W 23 links dist. &  
an Ironwood 5 in. " " S 49 E 39 " "

38.00 A Beech 8 in. diam.

75.00 A Brook 2 links wide. course, N. E.

80.00 Set post corner to Sec. 8. 9. 16 & 17 from which  
an Ironwood 5 in. diam. bears S 46 W 13 links dist. &  
a Beech 20 " " " S 74 E 26 " "  
Land rolling 2<sup>nd</sup> rate. Timber. Beech. Ash.  
Sugar. Lyrn. Elm. &c. Undergr. Beech.  
Ash. Hickory. Ironwood. Dogwood. &c.

East On Random between Sec. 9 & 16

6.00 A Run 3 links wide. course N. E.

27.00 Creek, 25 links wide. course S. E.

80.00 Intersect the N & S line 6 links South of Post.  
Land rolling 1<sup>st</sup> rate. Timber. Sugar. Ash.  
Lyrn. Dogwood. Walnut. Buckeye. Ash. &c.  
Undergrowth. Ironwood. Spice. Juniper.  
Buckeye. Ash. &c. &c.

West Corrected between Sec. 9 & 16.

40.04 Set a q. Sec. post at over dist. from which



240

T 33 N. R 14 E 2<sup>nd</sup> Sec. Indiana,

an Cherrywood 5 in. diam. bears S. 18 W. 10 the dist. 8  
 an Ash 6 " " " N. 11 $\frac{1}{2}$  W. 25 " "  
 To Sec. Corner

North Between Sec. 8 &amp; 9

9.00 From Creek 25 links wide, Course, S.E.

20.00 Enter Swamp.

24.30 A Cherry 11 in. diam.

25.00 Left the Swamp

40.00 Set a q. Sec post. from which  
 a W. Oak 10 in. diam. bears S. 45 E. 26 links dist. 8  
 a Do 19 " " " N. 28 W. 26 " "

44.00 Enter Marsh

54.00 Left Do.

55.80 A W. Oak 24 in. diam.

80.00 Set post Corner to Sec. 4. 5.8 & 9 from which  
 a Beech 12 in. diam. bears S. 49 $\frac{1}{2}$  W. 30 links dist. 8  
 a W. Oak 24 " " " N. 65 E. 27 " "  
 Sand rolling 8<sup>th</sup> rate Oak openings  
 Timber. W. Oak. &c. Undergrowth Huckle,  
 Sassafras Briars. Grass & Weeds

East On Random between Sec. 4 &amp; 9

18.00 Enter bad Swamp.

40.00 Set Temporary q. Sec post.

44.00 Left the Swamp

59.00 Enter Do.

74.00 Left the same

80.34 Intersect the N & S line 8 links North of Post.  
 Sand &c. similar to last.

West Corrected between Sec. 4 &amp; 9

40.17 Set a q. Sec post at aver. dist. from which  
 a Willow 4 in. diam. bears S. 20 E. 12 links dist. 8  
 a Do 4 " " " N. 18 W. 16 " "

80.34 To Sec. Corner

Comp.

241

T 33 N. R 14 E. 2nd Mer. Indians.

North Between Sect. 4 + 5

21.71 A Beech 10 in. diam.

40.00 Set a gr. Sec. post. from which  
an Ash 8 in. diam. bears S. 11 E. 38 links dist. &  
a Do 4 " " " N 4 E 18 " "

56.00 Enter Swamp

63.00 Left Do

66.14 A W. Oak 12 in. diam.

78.22 Intersect the North Boundary 57 links E.  
of the Post. Set post from which.

a Beech 18 in. diam. bears S 37 W 25 links dist. &  
a Elm 8 " " " S 41 E 45 " "

Land &c similar to last mile.

North Between Sect. 31 + 32

22.40 A Lymn 13 in. diam.

26.50 A Brook 5 links wide. Course S.E.

40.00 Set a gr. Sec. post. from which

a Beech 14 in. diam. bears S. 15 W. 48 links dist. &  
a Buckeye 10 " " " N 46 E 22 " "

56.00 A Creek 18 in. diam.

61.93 A Poplar 12 in. diam.

80.00 Set a post Corner to Sect. 29. 30 31 + 32.

from which

a Beech 16 in. diam. bears S. 24 W. 32 links dist. &

a Sugar 24 " " " N. 31 E. 16 " "

Land rolling 2nd rate. Timber. Sugar. Ash.  
Beech. Lymn. Oak. Ash &c. Undergrowth  
Ash. Beech. Ironwood. Lymn. Hickory &c.

East On Random between Sect. 29 + 32

4.00 A Run 8 links wide. Course South

37.00 A Do 6 " " " South

40.00 Set a Temporary gr. Sec. post.

74.00 A Brook 5 links wide. Course South

80.25 Intersect the N + S line 27 links S. of Post.

## T 33. R. B 14 E 3rd Mer. Indiana.

## Land, Timber &amp; Undergrowth.

West Corrected between Sec. 29 + 32  
 40.12½ Set a g. Sec. post at corner, dist. from which  
 an Elm 7 in. diam. bears N 42° W. 6 links dist. &  
 an Ironwood 4 in. " " S 26° E. 6 " "  
 80.25 To Sec. Corner

West Between Sec. 30 + 31  
 18.00 A Beech 12 in. diam.  
 33.50 A Creek 20 links wide. Course SE.  
 40.00 Set a g. Sec. post from which  
 a Poplar 8 in. diam. bears N 16° E. 14 links dist. &  
 a Beech 12 " " " S 36° W. 14 " "  
 64.75 A Sugar 20 in. diam.  
 79.50 Intersect the West Boundary, as post.  
 Land + Timber same as before

North Between Sec. 29 + 30  
 18.00 A Run 6 links wide. Course SE.  
 21.50 Left same " S W.  
 22.00 A Syc 8 in. diam.  
 40.00 Set a g. Sec. post from which  
 an Ash 24 in. diam. bears S 12° E. 24 links dist. &  
 a Syc 6 " " " N. 3° W. 13 " "  
 49.00 Enter Swamp  
 53.00 Left Do  
 63.00 A W. Oak 28 in. diam.  
 80.00 Set a post Corner to Sec. 19. 20. 29 + 30 from which  
 a Sugar 10 in. diam. bears S 74° E. 10 links dist. &  
 a Beech 15 " " " S. 89° W. 21 " "  
 Land + Timber &c. same as last mile.

East On Random between Sec. 20 + 29.  
 40.00 Set Temporary g. Sec. post  
 80.34 Intersect the N + S line 13 links S. of Post

243

T 33 N. R 14 E 2nd Mer. Indiana.

Land level & wet. 2nd rate. Timber, Oak.  
Ash, Elm, Hickory, Aspin. &c. Undergr<sup>th</sup>.  
Beech, Ash, Hickory, &c.

West Corrected between Sec. 20 + 29  
40.17 Set a gr. Sec. post at aver dist. from which  
a W. Oak 13 in. diam. bears N. 86 E. 7 links dist. &  
a Beech 20 " " " S. 45 W. 22 " "  
80.34 To Sec. corner

West Between Sec. 19 + 30  
16.00 Enter Swamp  
18.00 Left Do  
19.90 An Elm 8 in. diam.  
40.00 Set a gr. Sec. post. from which  
an Elm 10 in. diam. bears S. 79 W. 22 links dist. &  
a Maple 13 " " " N. 5 1/2 W. 80 " "  
58.14 A Beech 14 in. diam.  
72.00 Enter Swamp  
79.63 Intersect the West Boundary in Swamp,  
from which (10 links. South of post,  
a Willow 4 in. diam. bears N. 9 E. 12 links dist. &  
an Elm 9 " " " S. 15 E. 200 " "  
Land level swampy 3<sup>d</sup> rate. Timber  
Ash, Elm, Oak, Beech, Hickory, &c.  
Undergrowth. Beech, Willow Ash, &c. &c.

North Between Sec. 19 + 20  
22.68 A Red Oak 36 in. diam.  
40.00 Set a gr. Sec. post from which  
an Elm 20 in. diam. bears S. 65 W. 13 links dist. &  
a O 13 " " " N. 45 E. 28 " "  
67.20 A Red Oak 32 in. diam.  
80.00 Set a post Corner to Sec. 17 18 19 + 20 from which  
an Ironrod 5 in. diam. bears S. 75 W. 3 links dist. &  
a Dogwood 5 " " " N. 81 E. 12 " "



Land + timber similar to last.

East On Random between Sec. 17 + 20  
40.00 Set temporary of Sec. post.  
80.71 Intersect the N + S line 17 links S. of Post.  
Land here not 2<sup>nd</sup> + 3<sup>d</sup> rate timber as  
before Undergrowth same

West Corrected between Sec. 17 + 20  
40.33 1/2 Set a gr. Sec. post at aver. dist. from which  
a Maple 12 in. diam. bears S. 87 W. 9 links dist. &  
an Elm 18 " " " N. 89 E. 11 " "  
80.71 To Sec. corner

West Between Sec. 18 + 19  
15.00 Enter Willow Swamp  
22.00 A W. Oak 13 in. diam.  
40.00 Set a gr. Sec. post from which (in Swamp)  
a Maple 10 in. diam. bears N. 88 E. 48 the. dist. &  
a Co 5 " " " S. 11 E. 25 " "  
50.00 Leave the Swamp  
63.60 A Hickory 24 in. diam.  
79.52 Intersect the ~~West~~ Boundary 4 links South  
of the Post.  
Set a post Corner to Sec. 18 + 19 from which  
a W. Oak 5 in. diam. bears N. 12 E. 13 links dist. &  
a Cottonwood 5 in. " " S. 27 E. 8 " "  
Land &c &c similar to last.

North Between Sec. 17 + 18  
17.10 A Red Oak 24 in. diam. and enter very  
bad Willen + Rose Swamp  
30.50 Left Do.  
34.50 enter swamp  
40.00 Set a gr. Sec. post from which (in Swamp)  
a Willow 4 in. diam. bears S. 5 E. 8 links dist. &  
a Do 5 " " " N. 60 W. 12 " "

42.00 Leave the Swamp

61 70 A Beech 10 in. diam.

80.00 Set Post Corner to Sec. 7. 8. 17 & 18 from which  
a Beech 20 in. diam. bears S. 67 W. 18 links dist. &  
a W. Oak 9 " " " N. 3 E 18 " "

Land rolling Swampy, 2<sup>nd</sup> rate. Timber,  
Oak, Ash, Beech, Hickory, & Undergrowth  
Dogwood, Cherry Beech, & Willow.

East On Random between Sec. 8 & 17

40.00 Set Temporary gr. See post.

40.00 A Creek 13 links wide. Course North.

79.87 Intersect the N & S line 10 links South of Post.  
Land & Timber same as before.

West Connected between Sec. 8 & 17

39.93 1/2 Set a gr. See post at over dist. from which  
a Red Oak 18 in. diam. bears N. 55 E. 24 links dist. &  
an Ironwood 4 " " " S. 27 W. 21 " "

79.87 To Sec. corner

West Between Sec. 7 & 18

23.30 An Ash 24 in. diam.

38.50 A Run 10 links wide. Course N. E.

40.00 Set a gr. See post from which  
an Elm 18 in. diam. bears S. 58 E. 32 links dist. &  
a Dr 30 " " " N. 52 W. 27 " "

63.25 A Beech 12 in. diam.

79.85 Intersect the West Boundary 19 links S. of Post.  
Set a post Corner to 7 & 18 from which  
an Ironwood 4 in. diam. bears N. 73 E. 8 links dist. &  
a Dr. 4 " " " S. 46 E. 22 " "

Land rolling 2<sup>nd</sup> rate. Timber. Beech. Sugar,  
Oak, Ash, Hickory, Linn. Elm. &.  
Undergrowth, Sugar. Beech Ironwood,  
Oak. Linn. & Ash.

North Between Sec. 7 & 8

- 25.22 An Elm 10 in. diam.  
 31.00 A Brook 10 links wide. Course East.  
 34.00 Enter Willen Swamp  
 39.00 Left the Swamp.  
 40.00 Set a g. Vic. post. from which  
 a W. Oak 5 in. diam. bears S 7 E 4 links dist. &  
 a Hickory 7 " " " N 5 E 22 " "  
 44.00 Enter Swamp  
 47.00 Left Do  
 53.00 A Brook 10 links wide. Course. S E.  
 58.00 An Iron wood 6 in. diam.  
 78.00 Enter Willen Swamp  
 80.00 Set a post Corner to Sec. 5. 6. 7 & 8 from which  
 a W. Oak 5 in. diam. bears S 12 E 4 links dist. &  
 a Willow 5 " " " N 18 W. 9 " "  
 This post in Swamp,  
 Land rolling 2<sup>d</sup> rate. Swampy. Timber &  
 Undergrowth as before.

East On Random between Sec. 5 & 8

- 17.00 Left Swamp.  
 40.00 Set Temporary g. Vic. post.  
 80.10 Intersect the N & S line 3 links South of Post.  
 Land level 2<sup>d</sup> rate. Timber. Beech. Oak  
 Sugar. &c. Undergrowth Beech. Oak.  
 Sassafras. Briers.

West Corrected between Sec. 5 & 8

- 46.05 Set a g. Vic. post at aver. dist. from which  
 a W. Oak 40 in. diam. bears North 47 links dist. &  
 a Do 40 " " " S 5 E 9 " "  
 80.10 To Vic. corner

West Between Sec. 6 & 7

- 16.00 Left the Swamp.

247

T 33 N. R 14 E 2nd Mer. Indiana.

- 18.50 A Buckeye 12 in. diam.
- 40.00 Set a g. Sec post, from which  
a Beech 12 in. diam. bears S 44 E. 45 links dist. &  
a Dr 20 " " " S. 57 W. 12 "
- 65.85 A Beech 20 in. diam.
- 79.30 Intersect the West Boundary 6 links South of Post  
Set post Corner of Sec. 5 & 6 from which  
an Ash 5 in. diam. bears N 53 1/2 E 22 links dist. &  
a Dr 4 " " " S 32 1/2 E. 14 " "  
Land rolling 2nd rate. Timber + Undergrowth  
as before.

North Between Sec. 5 & 6.

10.00 Left the Swamp

17.00 A Trail. Course N E + S. W.

19.80 A W. Oak 22 in. diam.

40.00 Set a g. Sec post from which  
a W. Oak 34 in. diam. bears N 87 W 21 links dist. &  
a Beech 13 " " " S 87 E 17 " "

44.00 Enter Swamp

78.04 Intersect the North Boundary 3 links East of  
the Post in Swamp.

Set post Corner to Sec. 5 & 6 from which  
an Aspin 5 in. diam. bears S 88 E. 8 links dist. &  
a Buckeye 10 " " " S 57 W. 54 " "

Land flat + Swampy. 3rd rate. Timber. Oak,  
Ash, Elm, Beech Willow. Aspin etc.  
Undergrowth Willow. Rose briars. Beech,  
Ash. etc. etc.

Meanders of the Little St. Josephs River  
in Sec 32 up stream

Beginning at post in Town line E. side,  
Course Distances Remarks. in lbs.

N 25 W 9.00 River Bottom 3.00



Courses	Distances	Remarks.	chs. lks
N 64 W	11.00	River Bottom	5.00
N 46 E	7.50	" "	7.00
N 83 E	1.50	" "	4.00
S 64 E	2.00	" "	2.00
S 38 E	3.50	" "	3.00
S 64 E	6.50	" "	5.00
S 80 E	3.00	" "	1.50
N 69 E	15.00	At 2.75 A Spring Run South.	
		At 10.25 Do " "	
S 83 E	3.50		
S 68 E	2.85	To post in N & S line between Sec. 32 & 33.	

S 46 E	3.50	In Sec. 33. 1.50 High Bank	
S 60 E	3.00	" "	
S 74 E	6.00		
N 84 E	4.50		
N 71 E	3.50		
N 56 E	6.50	At 1.50 A Brook 15 links wide. cor. South	
		At 4.25 A Do 15 " " " SE	
N 63 E	2.00	high Bank.	
N 54 E	2.00	" "	
N 40 E	2.50	" "	
N 24 E	5.00	" "	
N 12 E	2.50	" "	
N 2 E	6.00	" "	
N 31 W	5.00	At 2.00 A Bottom & at 4.00 A Brook	
		15 links wide. course SE.	
N 51 W	5.50	Bottom 2.50 wide	
N 20 W	3.00	" 4.00 "	
N 6 E	3.00	" 5.50 "	
N 58 E	3.00	" " "	
N 75 E	7.00	" " "	
N 62 E	3.50	" 3.50 "	
N 38 E	10.00	No Bottom	
N 12 E	3.00		

249

T 33 N. R 14 E 2nd Mer. Indiana.

Courses	Distances	Remarks
N 8 W	5.50	No Bottom.
N 64 W	6.05	To Bottom
West	1.50	"
S 69 W	3.00	Bottom 2.50 wide.
S 55 W	4.00	
S 81 W	3.50	
N 74 W	2.50	
N 50 W	2.50	
N 25 W	2.00	
N 19 E	3.58	To fractional Corner between Sec. 28 & 33
<hr/>		
N 19 E	3.00	In Sec 28 Bottom 11.00 wide
N 34 E	17.00	" " "
N 47 E	5.00	" " "
N 56 E	3.00	" " "
S 88 E	3.00	" " "
S 60 E	3.00	" " "
S 36 E	2.50	" " "
S 23 E	2.50	" " "
S 12 E	13.50	At 11.50 left Bottom.
S 7/4 E	2.69	To post on E + W. line between Sec. 28 & 33.
<hr/>		
S 24 E	3.50	In Sec 33
S 55 E	3.00	
S 84 E	2.00	
N 72 E	2.00	
N 41 E	6.10	To post on E + W. line between Sec. 28 & 33
<hr/>		
N 22 E	17.00	In Sec 28 At 14.50 A Run of 9 bucks wide. Course East.
N 3 W	8.00	To Bottom
N 20 E	4.00	
N 32 E	3.50	Bottom
N 53 E	2.50	" 7.50 wide.
N 85 E	5.00	

Courses	Distances	Remarks.
S 68 1/4 E	1.91	To post in N + S line between 27 + 28
N 72 E	2.50	in Sec 27
S 89 E	13.50	At 10.00 Left Bottom.
N 81 E	6.00	In Sec. 27
N 68 E	7.50	
N 33 E	4.00	
N 6 E	4.00	
N 10 W	9.50	
N 30 W	2.00	
N 55 W	2.00	At 1.50 A Brook 15 links wide. Course S. E.
N 68 W	9.00	and Enter Bottom.
N 20 W	4.00	Bottom 6.00 wide
N 10 E	3.50	
N 26 E	2.50	
N 42 E	5.00	
N 20 E	8.15	To fractional Corner in E + W. line between Sec. 22 + 27
N 13 E	2.50	In Sec 22. No Bottom.
N 17 W	2.50	
N 40 W	9.50	At 2.00 Enter Bottom.
N 2 E	3.00	
N 64 E	6.50	Leave Bottom
N 43 E	4.00	
N 18 E	2.00	To Bottom
N 54 W	3.00	" 1.50 wide
N 35 W	12.00	" 4.50 "
N 11 W	5.50	" "
N 27 E	4.50	Bottom 2.50 wide
N 42 E	3.00	
N 13 E	4.00	
N 4 E	6.00	
N 16 W	2.50	
N 4 W	3.50	

## T 33 N. R 14. E 3rd Mer. Indianes

Courses	Distances	Remarks.
N 24 W	8.00	
N 14 E	2.50	Bottom 4.00 wide
N 36 E	3.50	" 5.50 "
N 70 E	2.00	" " "
S 59 E	3.00	" 4.00 "
S 37 E	<del>2.00</del>	" 2.50 "
S 26 E	6.50	" " "
S 55 E	2.50	" 1.50 "
S 85 E	5.00	At 4.50 A Brook 6 links wide. Course S.
N 84 E	8.00	No Bottom
N 76 E	10.50	
N 49 E	12.00	3.00 To Bottom
N 71 E	5.50	" 1.50 wide
N 87 E	5.50	Leave Bottom
S 77 1/2 E	2.38	To post in N + S line between Secs 22 & 23
	1.25	To a Run 8 links wide. Course S.E.
<hr/>		
N 77 E	2.27	high Banks In Sec. 23
N 73 E	5.50	
N 53 E	2.50	
N 53 1/4 E	2.82	To post in S + W. line between 23 & 14
<hr/>		
N 30 E	3.73	In Sec 14
N 15 E	3.00	
N 1 E	3.00	Leave high Banks & Enter Bottom
N 31 W	9.50	Bottom 6.50 links wide
N 2 E	2.50	" " "
N 25 E	10.00	" 4.00 " "
N 23 W	7.50	" 7.00 " "
N 2 E	3.00	" " " "
N 28 E	3.00	" " " "
N 43 E	5.00	" 9.00 " "
N 56 E	5.00	" 6.00 " "
N 72 E	10.50	" " " "
N 81 E	4.00	" " "



## T 33 N. R 14 E 3rd Mer. Indiana.

Courses	Distances	Remarks
S 82 E	2.00	5.00
S 56 E	2.00	
S 8 E	3.50	
S 3 W	7.00	1.00
S 26 E	3.00	No Bottom
S 63 E	3.00	
N 84 E	3.50	At 100 A Brook 6 links wide course S W. + Enter Bottom.
N 70 E	4.00	
N 88 E	10.00	Bottom 600 wide.
S 83 E	11.00	
N 78 E	5.50	In Sec 14 A Run 7 links wide. At 300
N 51 1/4 E	5.50	To fractional corner N + S line between Sec. 13 + 14 Thence
N 16 E	5.50	In Sec 13
N 10 E.	6.00	Leave high Banks
N 2 W	10.50	Bottom 3.00 wide
N 30 W	2.00	500 Old Indian Field
N 58 E	11.00	Leave Do.
N 30 E	2.50	
N 3 E	5.50	
N 22 1/2 E	1.24	To post in E + W line between 12 + 13
N 23 E	5.00	Bottom 8.00 wide.
N 63 E	4.50	" " "
N 80 E	3.50	" " "
S 80 E	2.00	" 6.00 "
S 48 E	4.00	
S 35 E	2.50	
S 30 W	1.74	To fractional corner E + W line Corner to Sec. 12 + 13
S 26 W	6.00	In Sec 13

253

T 33 N. R. 14 E 3<sup>rd</sup> Mer. Indiana.

Courses	Distances	Remarks
S 6 E	2.50	Bottom 300 wide,
S 24 E	3.00	" 2.00
S 66 E	4.00	1.00
S 77 E	3.00	Leave Bottom.
N 77 E	4.50	To Bottom
N 37 E	2.50	A Brook 10 links wide. Course S E.
N 10 E	4.00	Bottom 800 wide,
N 23 E	3.00	" " "
N 51 E	2.00	11.00 "
N 78 E	4.50	6.00
S 80 E	6.00	3.00
S 89 E	5.00	Leave Bottom high Bank,
N 76 E	4.50	
N 66 E	4.50	
N 61 1/2 E	2.67	To post in E + W line between Sec. 12 & 13 Thence.

---

N 36 E	3.50	
N 22 E	2.00	In Sec 12
N 4 E	2.50	
N 13 W	2.00	
N 42 W	2.00	No Bottom
N 69 W	2.00	
N 89 W	5.50	
N 72 W	2.50	At 1.25 A Run 6 links wide. Course S. E.
N 56 W	2.50	
N 39 W	7.00	
N 6 E	2.50	Bottom 6.00 wide.
N 35 E	6.00	" " "
N 20 E	4.50	Bottom 3.50 links wide.
N 3 W	2.00	" " " "
N 24 W	3.00	" " " "
N 57 W	4.00	" 800 " "
N 78 W	2.50	" " " "
N 10 W	3.00	" " " "
N 21 E	3.50	" " " "

## T 33 N. R 14 E 2nd Mer. Indiana,

Courses	Distances	Remarks
N 55 E	3.50	Bottom 600 wide
N 69 E	3.50	" " "
N 78 E	1.50	" " "
S 75 E	6.50	Leave Bottom.
S 65 E	3.50	
S 80 E	6.00	
N 72 1/2 E	5.19	To post in Range line East Bound of Sec 12. South side of River

Meanders of North side of Little  
St. Joseph down Stream  
From post in Range line. Thence  
On Sec. 12

S 25 W	2.50	
S 53 W	2.00	
S 77 W	2.50	Bottom 700 wide
N 83 W	2.00	
N 71 W	12.50	At 8.00 A Run 6 links from S. E.
S 77 W	3.50	Leave Bottom
S 68 W	2.50	high Bank
S 48 W	2.00	
S 31 W	2.00	
S 20 W	2.00	
S 4 W	3.00	Leave high Bank.
S 18 E	3.50	
S 82 E	4.00	At 2.00 A Run 5 links wide. S. W.
S 57 E	3.00	Bottom 500 wide.
S 9 E	2.50	" " "
S 22 W	2.50	" 4.00 "
S 30 W	3.00	" 3.00 "
S 56 W	2.00	
S 47 W	3.00	high Bank.
S 6 E	2.50	" " "
S 16 E	2.50	Leave high Bank. No Bottom
S 25 E	2.00	
S 41 E	2.00	

255

T 33 N. R 14 E 2nd Mer. Indiana

Courses	Distances	Remarks
S 53 E	6.50	
S 79 E	4.00	
N 88 E	3.50	
S 61 E	3.00	Bottom
S 27 E	1.50	" 300 links wide,
S 2 E	1.50	
S 16 W	2.00	400 " "
S 41 W	3.00	
S 60 1/2 W	3.33	To post corner on E + W line between Sec. 12 + 13

---

S 57 W	2.50	Bottom 400 wide
S 71 W	2.50	" " "
S 82 W	3.50	" " "
W 11	2.50	
N 82 W	10.00	No Bottom
S 75 W	2.00	
S 64 W	2.00	
S 41 W	2.00	
S 23 W	3.00	
S 2 E	1.50	
S 33 W	2.00	Bottom.
S 65 W	1.50	" 4.50 wide,
S 85 W	2.00	" " "
N 81 W	3.00	" " "
N 57 W	4.00	" 5.00 "
N 25 W	2.00	
N 1 W	2.00	
N 36 E	2.50	
N 35 E	2.50	
N 26 1/2 E	2.23	To post in E + W line between Sec. 12 + 13

---

N 18 W	4.00	In Sec. 12
N 45 W	3.50	
N 57 W	2.00	A Run 4 links wide. Course from S. E.



Courses	Distances	Remarks
N 79 W	2.50	
S 83 W	3.50	high Bank,
S 65 W	4.50	A Brook 4 links wide, course, S. W.
S 53 W	1.50	
S 31 W	2.50	high Bank,
S 25 1/2 W	3.22	To fractional Corner between Sec. 12 & 13

S 5 E	4.50	In Sec 13
S 18 W	3.50	Bottom 3.50 links wide,
S 50 W	3.50	1.50 " "
S 70 W	5.00	No Bottom
S 50 W	2.98	To fractional Corner N & S line between Sec. 13 & 14 Thence in Sec 14

S 25 W	3.00	Bottom 2.00 wide
S 5 W	3.50	" 4.00 "
S 7 E	10.50	" 10.00 "
S 2 W	6.00	" " "
S 34 W	2.00	" " "
S 50 W	3.00	" " "
S 81 W	7.00	4.50 "
N 81 W	9.00	Leave the Bottom
N 86 W	3.00	
S 84 W	7.50	
S 73 W	5.50	A Run 5 links wide from S.
N 86 W	2.50	Bottom 700 wide
N 47 W	1.50	
N 16 W	3.00	
N 10 E	4.50	
N 9 W	3.00	Bottom 1.00 wide.
N 27 W	2.00	high Banks
N 52 W	2.50	
N 80 W	2.50	
S 86 W	2.50	
S 76 W	13.00	To a Run 4 links wide from N. W.

Courses	Distances	Remarks
S 60° W	3.50	high Bank.
S 44° W	6.50	
S 32° W	2.50	
S 9° W	4.50	
S 15° E	3.00	Leave high banks
S 25° E	4.50	Bottom 300 wide.
S 5° W	3.00	
S 27° W	3.50	No Bottom.
S 37° W	3.00	To Bottom
S 13° W	2.50	" 1,50 wide.
S 21° E	4.50	" 5.00 "
S 29° E	6.50	" 7 00 "
S 3° E	4.00	
S 32° W	2.50	
S 57° W	2.00	
S 59° W	2.62	To post in E + W line between Sec. 14 + 23.

---

S 65° W	5.00	On Sec 23
S 75° W	3.57	To post on S + S line between 22 + 23

---

S 85° W	2.50	On Sec 22
S 84° W	3.00	Bottom claims wide.
S 80° W	5.00	
S 65° W	3.50	
S 58° W	4.00	
S 46° W	8.50	Bottom 600 wide
S 80° W	13.50	" 10,00 "
S 88° W	8.00	" " "
S 51° W	3.00	" " "
S 21° W	6.50	" 6,00 "
S 38° W	4.50	
S 57° W	2.50	A Creek 20 links wide. from North.
S 89° W	3.00	High Banks
S 52° W	3.50	
S 28° W	3.50	

Courses	Distances	Remarks.
S 5 W	3.00	
S 16 E	14.50	Sulphur Spring 2.00 5.00 Bottom
S 8 W	7.00	Bottom 500 wide.
S 41 W	6.00	Leave the Bottom
S 10 W	3.50	A Run 6 links wide from S. W.
S 16 E	6.00	Bottom 3.50 "
S 35 E	10.00	8.00 "
S 17 E	4.00	" "
S 42 W	3.00	5.00 "
S 81 W	7.50	
S 32 W	2.00	
S 7 W	3.50	
S 8 E	3.50	A Brook 10 links wide. from West.
S 42 E	9.00	Bottom 8.00 wide.
S 17 E	2.00	
S 19 W	1.45	To post in E & W line between 22 & 27

S 13 W	5.50	On Sec. 27
S 37 W	9.00	Bottom 4.50 wide.
S 12 W	2.50	" 3.00 "
S 1 E	3.00	" "
S 31 E	4.00	
S 44 E	3.00	" 6.00
S 77 E	3.50	" " "
S 71 E	4.50	" " "
S 28 E	2.50	" " "
S 7 E	8.50	" " "
S 8 W	2.50	" " "
S 25 W	3.50	" " "
S 53 W	3.00	" " "
S 75 W	4.00	" 3.00 "
S 82 W	7.00	
S 89 W	7.00	
S 80 W	7.43	To post on N & S line between Sec. 27 & 28

T 33. N. R 14 E 2<sup>nd</sup> Mer. Indiana.

259

Course	Distances	Remarks
S 88 W	4.50	In Sec. 28
S 77 W	2.50	Leave the Bottom
S 52 W	3.00	
✓ S 33 W	6.00	At 200 A Rim 5 links wide N.W.
S 14 W	2.50	Bottom
S 1 E	9.50	" 600 wide.
S 26 W	8.50	
S 22 W	4.00	
S 33 W	3.50	
S 48 1/2 W	1.28	To post on E + W line between Sec. 28 + 33
<hr/>		
S 23 W	2.50	In Sec 33
S 53 W	3.00	Bottom 800 wide.
N 60 W	3.00	
N 8 E	2.50	To post on E + W line between Sec 28 + 33
<hr/>		
N 17 W	4.50	In Sec 28
N 14 W	14.00	Leave Bottom
N 34 W	3.00	High Banks
N 50 W	2.50	
N 75 W	3.50	
S 83 W	3.00	
S 56 W	5.00	
S 46 W	3.50	
S 32 W	12.50	
S 37 W	8.66	To post in E + W line between Sec. 28 + 33
<hr/>		
S 9 E	5.00	In Sec 33
S 38 E	3.00	High Bank
S 62 E	3.00	" "
East	4.00	
N 68 E	4.00	
N 50 E	3.00	Bottom 500 wide.
East	3.00	
S 41 E	3.00	



Courses	Distances	Remarks
S 17 E	4.00	Bottom 500 wide.
S 4 W	2.50	" " "
S 35 W	4.50	" " "
S 43 W	6.00	" 3.00 "
S 66 W	3.50	No Bottom
S 87 W	6.50	
S 39 W	3.00	
S 19 W	3.50	
S 3 E	5.50	
S 52 E	6.00	To Bottom
S 35 E	3.50	" 200 wide.
S 6 E	4.50	" 500 "
S 14 W	6.00	" " "
S 13 W	4.00	" 700 "
S 56 W	9.00	" 1000 "
S 79 W	5.50	
S 82 W	6.00	Bottom 6.50 wide
S 62 W	5.00	
S 42 1/2 W	2.89	To Post in N & S line between Sec 32 & 33

---

S 78 W	4.00	In Sec. 32
N 26	4.50	Bottom 7.00 wide.
S 70 W	9.00	" " "
S 86 W	9.50	4.00 "
N 33 W	5.00	To a Run 5 links wide. Course N. E.
N 88 W	2.50	Leave Bottom
S 82 W	2.50	No Bottom
S 68 W	3.00	
S 43 W	8.00	
S 4 W	6.00	Bottom
S 7 E	6.50	" 4.00 wide.
S 25 E	5.50	
S 14 1/4 E	2.46	To Post on South Boundary of Sec. 32. On East Side of River

---

261

T 33 N. R 14 E 2<sup>nd</sup> Mer. Indiana.

Courses	Distances	Remarks
N 7 1/2 W	2.50	In Sec 32
S 86 W	2.00	
S 70 W	1.68	To post on Tenn line on S. Boundary of Sec. 32

Surveyed by  
E. H. Lytle, D.S.

Pursuant to a Contract with, and instructions from William Lytle, late Surveyor General of the United States bearing date the 26<sup>th</sup> day of November 1830. I have surveyed & subdivided into Sections Township No. 33. North Range No. 14 East of the 2<sup>nd</sup> Mer. in the State of Indiana, and thereby Certify that the foregoing are the true and original field notes of the said survey and subdivisions, made under the Contract aforesaid.

Certified this 27<sup>th</sup> day of August 1831  
E. H. Lytle  
Dep Surveyor

I Certify that the foregoing transcripts of the Field Notes of Township No. 33. North Range No. 14 E of the 2<sup>nd</sup> Mer. Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office  
Cincinnati Jan<sup>y</sup>. 22<sup>d</sup> 1845

William Johnston  
Sur. Genl.

Comp.